## NOTICE OF PUBLIC HEARING BY THE MUNICIPAL BOARD OF MANITOBA

## RE: RURAL MUNICIPALITY OF WEST ST. PAUL — BY-LAW NO. 2024-11 INSTALLATION OF WASTEWATER SEWER PIPES AS A LOCAL IMPROVEMENT FILE NO. 24E8-0005

PUBLIC NOTICE is hereby given, under the provisions of *The Municipal Act*, S.M. 1996, c.58 and *The Municipal Board Act*, R.S.M. 1987, c. M240, that The Municipal Board will hold a public hearing for the purpose of hearing any presentations in objection to or in support of the proposed By-Law regarding the following matter:

By-Law No. 2024-11 proposes to authorize the expenditure and borrowing of money for the installation of wastewater sewer pipes as a Local Improvement under Plan No. 2024-02, at an estimated cost of \$1,775,317.50.

The public hearing will take place on Friday, November 8, 2024 at 9:30am at the Seven Oaks Learning and Service Centre, 1985 Grassmere Road, West St. Paul, Manitoba.

A copy of the By-Law is available for viewing at the Municipal Office. The Rules regarding the procedure to be followed at the hearing can be found on The Municipal Board website under Hearing Procedures at <a href="https://www.gov.mb.ca/mr/municipal\_board/hearings/index.html">https://www.gov.mb.ca/mr/municipal\_board/hearings/index.html</a>.

In addition, the Board requires that any person who intends to submit as evidence at the hearing any written material or other documents, shall file four (4) copies of that material with the Board and one (1) copy with the Municipality for public review, at least 10 working days prior to the hearing.

If a person wishes to have service in French, or requires an accommodation, they must notify this office 15 days prior to the hearing.

Dated at Rural Municipality of West St. Paul in Manitoba, this 10<sup>th</sup> day of October, 2024.

Erin Wills Secretary/Chief Administrative Officer The Municipal Board 1144-363 Broadway Winnipeg MB R3C 3N9 204-945-4014 Dave Wardrop Chief Administrative Officer Municipality of West St. Paul 3550 Main Street West St. Paul, MB R4A 5A3 204-334-9362